

# LINEAR SERIES

## LED Linear High Bay Light



### Features


1. 5 years warranty
2. Original Lumileds 5050 which up to 180Lm/W
3. With the best quality UL driver
4. They are assembled by module light weight aluminum fin
5. IP65 waterproof ,dust-proof ,explosion-proof and anti-corrosion
6. Using aluminum fin heat sink which heat transfer faster than die cast
7. Tiny package and lighter,lower freight cost,more competitive in the market
8. Available for warehouse,tunnel lighting,advertisement ,gas station and factory lighting etc

**5**  
Years  
Warranty

**50000** Hour  
Long Service Life

### Dimension

Unit:mm



# Linear

## LED Linear High Bay Light

- Light Source: Lumileds 5050
- Input Volt: 100-277VAC / 347-480VAC
- IP Rating : IP65
- Beam Angle: 60° / 90° / 120° (Symmetrical Angle)
- Beam Angle: 80x155° (Polarization Angle)
- Color Temp: 4000K 5000K 6000K
- Size: 620 x 115 x 144mm (24.41 x 4.53 x 5.67inch )
- Certificates: TUV CE RoHS ETL DLC
- 5 years warranty



100-277V



347-480V



Dimmable



50,000H



IP65




-30~45°C

### Specifications


|               |                                                 |
|---------------|-------------------------------------------------|
| Model NO.     | LSLHBL-100W                                     |
| Wattage       | 100W                                            |
| Input Voltage | 100-277VAC                                      |
| Driver        | Meanwell XLG-100-H-A / Sosen Driver SS-100GA-56 |
| LED Brand     | Lumileds 5050                                   |
| Efficiency    | 180lm/w                                         |
| Lumen         | 18,000Lm                                        |

### Beam Angle


#### Symmetrical Angle



60°




90°



120°


#### Polarization Angle




80 x 155°




## Application



## Installation



Ceiling/Wall Mount(rotatable)



Chain hanging style

## Package details

| Wattage | Size of Box | Weight | Box Quantity |
|---------|-------------|--------|--------------|
| 100W    | 67x19x22cm  | 4.9Kg  | 1PC          |